



**PTC04-DB-80104**  
**Short Description**

# Contents

<b>1. Scope</b> .....	<b>2</b>
<b>2. Melexis Softdist Server</b> .....	<b>2</b>
<b>3. General Description</b> .....	<b>3</b>
<b>4. Hardware overview</b> .....	<b>4</b>
4.1. PTC04-DB-80104 CON2 Application Connector.....	5
4.1.1. Programming via the Melexis Test Interface .....	5
4.1.2. Programming via the LIN Interface .....	5
<b>5. Schematic</b> .....	<b>6</b>
<b>6. Revision History</b> .....	<b>7</b>
<b>7. Disclaimer</b> .....	<b>8</b>

## 1. Scope

This document is intended to give a brief introduction of the PTC04-DB-80104 module.

Beside of this document, several other important documentation papers are necessary for a detailed understanding.

The detailed information and the required software tools regarding our products including all required development tools will be distributed via the Melexis Softdist server (<https://softdist.melexis.com>).

## 2. Melexis Softdist Server

Melexis SoftDist (<https://softdist.melexis.com>) is a software distribution system which allows customers to download documents, development software and other stuff related to Melexis products. In case updates or new items are available a notification email will be send automatically to all subscribers.

It's required to register in order to access the Melexis Softdist server.

In case you are not registered yet, please contact our sales team and specify which Melexis product you are interested in, in order to create an account and grant access to the correct product specific information:


Europe, Africa	Email : sales_europe@melexis.com
Americas	Email : sales_usa@melexis.com
Asia	Email : sales_asia@melexis.com

### 3. General Description


The PTC04-DB-80104 is a daughter board for the Melexis PTC-04 EOL programmer. Together with the PTC-04 it supports the end of line programming of following Melexis components:

- MLX81104KLQ
- MLX81104KLW
- MLX81105KLQ
- MLX81105KLW

The PTC04-DB-80104 needs to be mounted into PTC-04. This module supports the programming via standard LIN and the MLX test interface.




## 4. Hardware overview



## 4.1. PTC04-DB-80104 CON2 Application Connector

### 4.1.1. Programming via the Melexis Test Interface


All unused pins of the connector have to be left open. Only the pins with the green color and the shield have to be used for the Melexis test interface.



Pins	Name	Description
1	<b>VBAT</b>	<b>Power Supply</b>
2	N.C.	Not connected
3	<b>DGND</b>	<b>Digital Ground</b>
4	MUST	Analog test pin
5	TXD0	USART Transmit Data
6	VOUT_PPS2	VOUT_PPS2
7	<b>MUST0 / T10</b>	<b>Digital test pin T10</b>
8	<b>MICE / T0</b>	<b>Digital test pin T0</b>
9	<b>LIN_OUT</b>	<b>LIN BUS</b>
10	+5V_DIG_CON	+5V DC Supply
11	<b>DGND</b>	<b>Digital Ground</b>
12	RXD0	USART Receive Data
13	XCK0	USART Clock
14	N.C.	Not connected
15	<b>MUST1 / T11</b>	<b>Digital test pin T11</b>


### 4.1.2. Programming via the LIN Interface

All unused pins of the connector have to be left open. Only the pins with the green color have to be used for the LIN bus interface.



Pins	Name	Description
1	<b>VBAT</b>	<b>Power Supply</b>
2	N.C.	Not connected
3	<b>DGND</b>	<b>Digital Ground</b>
4	MUST	Analog test pin
5	TXD0	USART Transmit Data
6	VOUT_PPS2	VOUT_PPS2
7	MUST0	Digital test pin
8	MICE	Digital test pin
9	<b>LIN_OUT</b>	<b>LIN BUS</b>
10	+5V_DIG_CON	+5V DC Supply
11	<b>DGND</b>	<b>Digital Ground</b>
12	RXD0	USART Receive Data
13	XCK0	USART Clock
14	N.C.	Not connected
15	MUST1	Digital test pin

## 5. Schematic



Title:	PTC04-DB-80104_V1.7	Revision:	1.7
Size:	A2_PTC04-DB-80104_V1.7_SchDoc	Author:	hlt
Print Date:	2016-05-31	Modified (File Date):	2016-05-31
File:	D:\Projects\2016_Melexis\80104\PTC04-DB-80104_V1.7_TAD_Design\PTC04-DB-80104_V1.7_SchDoc	Sheet:	1 of 1

## 6. Revision History

Version	Changes	Remark	Date
001		Initial release	25.07.18

## 7. Disclaimer

The information furnished by Melexis herein is believed to be correct and accurate. Melexis disclaims (i) any and all liability in connection with or arising out of the furnishing, performance or use of the technical data or use of the product as described herein, (ii) any and all liability, including without limitation, special, consequential or incidental damages, and (iii) any and all warranties, express, statutory, implied, or by description, including warranties of fitness for particular purpose, non-infringement and merchantability. No obligation or liability shall arise or flow out of Melexis' rendering of technical or other services.

The information contained herein is provided "as is" and Melexis reserves the right to change specifications and/or any other information contained herein at any time and without notice. Therefore, before placing orders and/or prior to designing this product into a system, users or any third party should obtain the latest version of the relevant information to verify that the information being relied upon is current. This document supersedes and replaces all prior information regarding the product(s) as described herein and/or previous versions of this document.

Users or any third party must further determine the suitability of the Melexis' product(s) described herein for its application, including the level of reliability required and determine whether it is fit for a particular purpose.

The information contained herein is proprietary and/or confidential information of Melexis. The information contained herein or any use thereof does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other intellectual property rights, whether with regard to such information itself or anything described by such information.

This document as well as the product(s) described herein may be subject to export control regulations. Please be aware that export might require a prior authorization from competent authorities.

The product(s) as described herein is/are intended for use in normal commercial applications. Unless otherwise agreed upon in writing, the product(s) described herein are not designed, authorized or warranted to be suitable in applications requiring extended temperature range, unusual environmental requirements. High reliability applications, such as medical life-support or life-sustaining equipment are specifically not recommended by Melexis.

The product(s) may not be used for the following applications subject to export control regulations: the development, production, processing, operation, maintenance, storage, recognition or proliferation of 1) chemical, biological or nuclear weapons, or for the development, production, maintenance or storage of missiles for such weapons; 2) civil firearms, including spare parts or ammunition for such arms; 3) defense related products, or other material for military use or for law enforcement; 4) any applications that, alone or in combination with other goods, substances or organisms could cause serious harm to persons or goods and that can be used as a means of violence in an armed conflict or any similar violent situation.

Products sold by Melexis are subject to the terms and conditions as specified in the Terms of Sale, which can be found at <https://www.melexis.com/en/legal/terms-and-conditions>.

Melexis NV © - No part of this document may be reproduced without the prior written consent of Melexis. (2016)